

Revision date: 15 Jan 2020 Version: 1.0.0.2 Print date: 19 Feb 2020

earthborn®

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Silicate Primer

Article No.:

1-160

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Coating material

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Earthborn

Frodsham Business

Centre Bridge Lane

Frodsham

WA6 7FZ

Telephone: 01928 734 171

Fax: 01928 731 732

E-mail: info@earthbornpaints.co.uk

Website: www.earthbornpaints.co.uk

1.4. Emergency telephone number

01928 734 171

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: -

Supplemental hazard information

EUH210 Safety data sheet available on request.

Precautionary Statements Prevention

P262 Do not get in eyes, on skin, or on clothing.

Precautionary Statements Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.


2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1312-76-1 EC No.: 215-199-1 REACH No.: 01-2119456888-17-0002	Silicic acid, potassium salt Eye Irrit. 2, Skin Irrit. 2  Warning H315-H319-EUH210	3 – 6 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Take off immediately all contaminated clothing.

Following inhalation:

Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

No special measures are necessary.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product itself does not burn.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

No information available.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Special danger of slipping by leaking/spilling product.

Protective equipment:

Use personal protection equipment.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

Revision date: 15 Jan 2020 Version: 1.0.0.2 Print date: 19 Feb 2020

earthborn®

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

To clean the floor and all objects contaminated by this material, use plenty of water.

Other information:

Dilute with plenty of water.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Measures to prevent aerosol and dust generation:

Handle and open container with care.

Environmental precautions:

Do not empty into drains.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Packaging materials:

Suitable container/equipment material: Polyethylene (PE) Steel Refined steel

Requirements for storage rooms and vessels:

Store in a cool dry place. Protect against: Frost

Hints on storage assembly:

Do not store together with: acids not otherwise specified

Storage class: 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

Recommendation:

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Silicic acid, potassium salt CAS No.: 1312-76-1	5.61 mg/m ³	① DNEL worker ② inhalative, long-term, systemic
Silicic acid, potassium salt CAS No.: 1312-76-1	1.38 mg/m ³	① DNEL Consumer ② inhalative, long-term, systemic
Silicic acid, potassium salt CAS No.: 1312-76-1	1.49 mg/kg	① DNEL worker ② dermal, long-term, systemic

Revision date: 15 Jan 2020 Version: 1.0.0.2 Print date: 19 Feb 2020

earthborn®

Substance name	DNEL value	① DNEL type ② Exposure route
Silicic acid, potassium salt CAS No.: 1312-76-1	0.74 mg/kg	① DNEL Consumer ② dermal, long-term, systemic
Silicic acid, potassium salt CAS No.: 1312-76-1	0.74 ml/kg	① DNEL Consumer ② oral, long-term, systemic

Substance name	PNEC Value	① PNEC type
Silicic acid, potassium salt CAS No.: 1312-76-1	7.5 mg/l	① PNEC aquatic, freshwater
Silicic acid, potassium salt CAS No.: 1312-76-1	1 mg/l	① PNEC aquatic, marine water
Silicic acid, potassium salt CAS No.: 1312-76-1	348 mg/l	① PNEC sewage treatment plant

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection DIN EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 . In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Usually no personal respiratory protection necessary.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: whitish

Odour: odourless

Safety relevant basis data

parameter		at °C	Method	Remark
pH	10.8	20 °C		
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 100 °C			
Decomposition temperature	not determined			
Flash point	not determined			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	1 - 1.15 g/cm³	20 °C		
Bulk density	not determined			
Water solubility	not determined			
Partition coefficient: n-octanol/water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: acids not otherwise specified Corrosive to metals.

10.4. Conditions to avoid

Heat. Frost.

10.5. Incompatible materials

Acid. Aluminium.

10.6. Hazardous decomposition products

No data available

Further information

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
1312-76-1	Silicic acid, potassium salt	LD₅₀ oral: >2,000 mg/kg (Rat) ECHA LD₅₀ dermal: >5,000 mg/kg (Rat) ECHA

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

slightly irritant but not relevant for classification.

Serious eye damage/irritation:

slightly irritant but not relevant for classification.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

Revision date: 15 Jan 2020 Version: 1.0.0.2 Print date: 19 Feb 2020

earthborn®

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information
1312-76-1	Silicic acid, potassium salt	EC₅₀ : >207 mg/l 3 d (Algae/water plant, Daphnia pulex (water flea)) ECHA LC₅₀ : >146 mg/l 2 d (fish, Leuciscus idus (golden orfe)) ECHA EC₅₀ : >146 mg/l (crustaceans) ECHA

12.2. Persistence and degradability

Additional information:

The product is an alkali. Before discharge into sewage plants the product normally needs to be neutralised.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
1312-76-1	Silicic acid, potassium salt	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN-No.			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant			
14.4. Packing group			
not relevant			
14.5. Environmental hazards			
not relevant			
14.6. Special precautions for user			
not relevant			

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU):

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

VOC-value (in g/L): 0,5

type : Wb

VOC product category: h

VOC limit value: 30 g/l

15.1.2. National regulations

[DE] National regulations

Water hazard class (WGK)

WGK:

1 - schwach wassergefährdend

15.2. Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out: CAS.Nr. 1312-76-1

SECTION 16: Other information

16.1. Indication of changes

* Data changed compared with the previous version

16.2. Abbreviations and acronyms

Siehe Übersichtstabelle unter www.euphrac.eu

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Supplemental hazard information	
EUH210	Safety data sheet available on request.

16.6. Training advice

No data available

16.7. Additional information

No data available